

FIG. 1 (PRIOR ART)




FIG. 2 (PRIORART)




FIG. 3A (PRIOR ART)




FIG. 3B (PRIOR ART)

Page 14 of 35 EDGE DETECTION BASED STROKE ADJUSTMENT Amold, et al. Serial No. 10/816,582 Attorney's Docket No. 07844-636001/P589

822	75	Initial Adjustment Value (1/16ths)	4	4	4	4	4	4	4	4	4	4	4	4	4	3	3	င	3	2	
820	250	Y Carry (y/n)	_	-	-	-	-	-	-	_	_	-	-	0	0	-	-	-	-	1	
χ α	2	X Carry (y/n)	1	_	-	-	-	-	-	-	-	_	-	-	1	-	-	-	-	1	_ 1
e 27 67	/ /	Y Offset Amt.	1	_	-	~	~	-	_	-	-	-	-	-	-	7	7	_	-	1	delete
Font Type: Type 1 Gray Scale	7	X Offset Amt.	0	0	0	0	0	0	0	0	0	0	0	-	_	1	1	1	τ.	1	
oe 1 Gra 812	-//	Y Align.	4	4	4	4	4	8	8	8	8	∞	8	4	7	8	8	. 8	8	8	FIG. 8AK
/pe: Tyl	2/2	X Align.	4	4	4	4	4	8	∞	∞	∞	80	8	4	4	8	8	8	8	8	I
Font T	2	Hinting Policy	Black Edge																		
808		Hint Grid Ratio	4	4	4	4	4	8	8	8	8	8	8	4	4	8	8	8	8	8	
806	2	γ Grid Ratio	4	4	4	4	4	8	8	8	8	8	8	4	4	8	8	8	8	8	
804		X Grid Ratio	4	4	4	4	4	8	8	8	8	8	8	4	4	8	8	8	8	8	
800		Scaled Stem Width (1/16ths)	0	1	2	3	4	- 5	9	7	8	6	10	11	- 12	13	14	15	16	17	
	208												Ł(38	ً						

Page 15 of 35 EDGE DETECTION BASED STROKE ADJUSTMENT Arnold, et al. Serial No. 10/816,582 Attorney's Docket No. 07844-636001/P589

		Ι		<u> </u>		<u> </u>				<u> </u>					Ī					T		
778)	Initial Adjustment Value (1/16ths)	2	2	2	2	2	2	2	2	~	_	-	~	_	τ-	~	~	0	0	0	0	
C \$ 30	Y Carry (y/n)	7	_	_	_	-		-	~	0	0	0	-	_	-	-	~	0	0	0	0	
818)	X Carry (y/n)	1	-	-	~	-	-	-	٦	-	-	-	_	-	-	-	-	1	τ-	-	1	
418)	Y Offset Amt.	1	1	-	1	1	T	1	_	0	0	0	_	_	-	-	-	0	0	0	0	contid, lete
418)	X Offset Amt.	1	1	-	1	1	1	_	-	0	0	0	-	7	1	1	L	0	0	0	0)
718)	Y Align.	8	8	8	8	8	8	8	8	4	4	4	8	8	8	8	8	4	4	4	4	FIG. 8A
(210	X Align.	8	8	8	8	8	8	ω	∞	4	4	4	ω	ω	80	8	8	4	4	4	4	正
(804	Hinting Policy	Black Edge	Black Edge	Ī																		
808)	Hint Grid Ratio	8	8	8	8	8	8	8	8	4	4	4	8	8	8	8	8	4	4	4	4	
aps)	Y Grid Ratio	8	8	8	8	8	8	8	8	7	4	4	8	8	8	8	8	4	4	4	4	
408	X Grid Ratio	8	8	8	8	8	8	8	8	4	4	4	8	8	8	8	8	4	4	4	4	
708)	Scaled Stem Width (1/16ths)	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	

Page 16 of 35 EDGE DETECTION BASED STROKE ADJUSTMENT Amold, et al. Serial No. 10/816,582 Attorney's Docket No. 07844-636001/P589

858	High Initial Adjustment Value (1/16ths)	0	0	0	0	0	9	9	9	9	9	9	0	0	2	2	2	2	0	0	0	0	
ale 856	High Density	0	0	0	0	0	24	24	32	32	40	40	0	0	56	56	56	56	0	0	0	0	elete
Font Type: Type 1 Gray Scale	Low Initial Adjustment Value (1/16ths)	0	0	0	0	0	2	2	2	2	2	2	0	0	4	4	4	4	0	0	0	0	FIG. 8BC) delete
Font Type: " 852	Low Density	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	80	8	0	0	0	0	
850	Asymmetric Adjusting (y/n)	0	0	0	0	0	~	~	1			_	0	0	_	~	_	-	0	0	0	0	
	Scaled Stem Width (1/16ths)	0	~	2	က	4	5	9	2	ω	6	10	7-	- 12	13	14	15	16	17	18	19	20	
						860~	<i>/</i>						805~	/ -			-						

Page 17 of 35 EDGE DETECTION BASED STROKE ADJUSTMENT Amold, et al. Serial No. 10/816,582 Attomey's Docket No. 07844-636001/P589

858	High Initial Adjustment Value (1/16ths)	0	0	0	0	0	2	2	2	0	0	2	2	2	0	0	0	0
856	High Density	0	0	0	0	0	12	12	12	56	56	56	56	56	0	0	0	0
854	Low Initial Adjustment Value (1/16ths)	0	0	0	0	0	0	0	0	2	2	0	0	0	0	0	0	0
852	Low Density	0	0	0	0	0	0	0	0	0	0	8	8	16	0	0	0	0
850	Asymmetric Adjusting (y/n)	0	0	0	0	0	1	1	1	1	7	1	-	1	0	0	0	0
	Scaled Stem Width (1/16ths)	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37

FIG. 8B@(contid)

Page 18 of 35 EDGE DETECTION BASED STROKE ADJUSTMENT Amold, et al. Serial No. 10/816,582 Attorney's Docket No. 07844-636001/P589

í		_	Г		T .	I	T	Γ	<u> </u>	_			$\overline{}$	T		1
; e1/1	Initial Adjustment Value (1/6ths)	က	က	က	က	က	2	2	2	2	2	2	_	_	0	
248/	Hinting Policy	Black Edge	Black Edge	Black Edge	Black Edge	Black Edge	Black Edge	Black Edge								
	Y Carry (y/n)	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
Font Type: Type 1 Sub Pixel Rendering	X Carry (y/n)	1	_	Ļ	1	τ-	~	1	1	1	.1	1	1	7	1	
Sub Pix	y Offset Amt.	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
Type 1	X Offset Amt.	0	0	0	0	0	0	0	0	0	0	0	0	0	0	j
t Type:	Y Align.	9	9	9	9	9	9	9	9	9	9	9	9	9	9	
Font	X Align.	1	1	_	7	1	~	~		_	~	_	_	-	_	
	Hint Grid Ratio	9	9	9	9	9	9	9	9	9	9	9	9	9	9	
	Y Grid Ratio	9	9	မ	9	9	9	9	9	9	9	9	9	9	9	
· 국	X Grid Ratio	9	9	9	9	9	9	9	9	9	9	9	9	9	9	
1/8/1	Scaled Stem Width (1/6ths)	0	ν	7	ო	4	2	9	7	∞	တ	10	7	12	13	_ (
		•														;




FIG. 9D

Page 30 of 35 EDGE DETECTION BASED STROKE ADJUSTMENT Amold, et al. Serial No. 10/816,582 Attorney's Docket No. 07844-636001/P589




FIG. 10